Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 February 2009

(For the Period 1 February 2009 to 14 February 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document. "N" indicates that a "new" document has been entered into the ASSIST database. "M" indicates that a document already in ASSIST has been "modified" in some way. The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at http://assist.daps.dla.mil for the most current information. If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at http://assist.daps.dla.mil/online/registration/registration.cfm. Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: http://assist.daps.dla.mil/online/news/AlertService.htm.

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE					
N		DISTRIBUTION				
O P C C C C C C C C C C C C C C C C C C		Ĕ	⋖		ΙΥ	
AC		E	RE		ACTY	
ST		STR	FSC/AREA	,4	E E	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FS(MCA	PREP	DATE
M A-A-58003B	Truck, Fire Fighting (Structural, 4x2 or 4x4) [CUST: 84] [REVIEW: IS]	A	4210	/	84	05-FEB-2009
M A-A-59683A	Truck, Fire Fighting (Wildland) [CUST: 84] [REVIEW: CC IS]	A	4210	/	84	05-FEB-2009
M MIL-DTL-8788E(1)	Hose, Rubber, Hydraulic, High Pressure (3,000 PSI), Operating Temperature Range -65 degrees F to	A	4720		CC	09-FEB-2009
M QPL-26626-22 NOT 1	+160 Degrees F [CUST: AT AS 99 CC] [REVIEW: 71 AV MC MI SA] Hose Assembly, Reinforced, Cryogenic, Oxygen (Replaced by the Qualified Products Database	_	4720		71	13-FEB-2009
M QPL-20020-22 NOT 1	(QPD) see Notice for Additional Information)	A	4720		/1	13-FED-2009
M MIL-DTL-5070F(2) SUP 1	Adapter, Hose to Tube, Pipe, and Flange, Reusable - Hydraulic, Fuel, and Oil Lines, General Specification For [CUST: AV AS 99 CC] [REVIEW: 11 71 AT CG MC MI SA]	A	4730		CC	29-JAN-2009
M MIL-DTL-8783D	Clamp, Hose, Flat Band 500 Degrees F, General Specification for [CUST: AT AS 99 CC] [REVIEW: 70 71 AR AV CG MC MI SA SH]	A	4730		CC	03-FEB-2009
M MS27069G	Socket, Hose Coupling [CUST: AV AS 99 CC] [REVIEW: 71 AR AT MC MI SA SH]	A	4730		CC	05-FEB-2009
M MS27391E	Nipple, Flareless, Tube to Hose - Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA		4730		CC	05-FEB-2009
	SH]					
M SAE-AS3220	Aluminum, Sleeve, Flared, Fitting [CUST: AV AS 99 CC] [REVIEW: 71 AR MC SA]		4730		CC	30-MAR-2001
M SAE-AS5174	Fitting, Union and Reducer, Flared [CUST: AV AS 99 CC] [REVIEW: 71 AR CR4 MC SA]	A			CC	28-SEP-1999
M SAE-AS5176	Fitting, Sleeve, Flared [CUST: AV AS 99 CC] [REVIEW: 71 AR MC SA]		4730		CC	28-SEP-1999
M MIL-PRF-22684F(1)	Resistors, Fixed, Film (Insulated) General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	05-FEB-2009
M MIL-PRF-22684/8C(1) NOT 1	Resistors, Fixed, Film, Insulated, Style RL42TX [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS	A	5905		CC	05-FEB-2009
	AT AV CG CR4 MC OS]					
M QPL-55342-102	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level,	A	5905		CR	04-FEB-2009
M MIL DDE 15722/56D(1)	General Specification For		5915		CC	05-FEB-2009
M MIL-PRF-15733/56D(1)	Filters, Radio Frequency Interference Suppression, Hermetically Sealed, Style FL61 [CUST: EC 85 CC]	A	3913		CC	05-FEB-2009
M MIL-PRF-15733/66A NOT 1	Filters, Radio Frequency Interference, Style FL50 [CUST: EC CC]	A	5915		CC	12-FEB-2009
M A-A-55458D	Interrupter, Ground Fault, Two-Pole, Three-Wire, 15 Ampere [CUST: EC CC]	A		/		30-JAN-2009
M A-A-55459D	Interrupter, Ground Fault, Two-Pole, Three-Wire, 20-Ampere [CUST: EC CC]	A	5925	/	CC	30-JAN-2009
M A-A-55460D	Interrupter, Ground Fault, Two-Pole, Three-Wire Hospital Grade, 15-Ampere [CUST: EC CC]	A	5925	/	CC	30-JAN-2009
M A-A-55461D	Interrupter, Ground Fault, Two-Pole, Three-Wire Hospital Grade, 20-Ampere [CUST: EC CC]	A	5925	/	CC	30-JAN-2009
N MIL-PRF-22885/114	Switches, Pushbutton, White Light Emitting Diode (LED) or 4 Lamp Replaceable Incandescent	A	5930		CC	05-FEB-2009
	Illuminated, Standard, Night Vision Imaging System (NVIS) and Sunlight Readable Displays, Dimmable, SPDT, DPDT and 4PDT, Low Level to 7 Amperes, Sealed and Unsealed, Solder and Common Termination System (CTS) Terminations [CUST: EC CC]					
M MIL-DTL-12211G	Switch, Pressure [CUST: AT EC 85 CC]	A	5930		CC	05-FEB-2009
M MIL-DTL-22992G	Connectors, Plugs and Receptacles, Electrical, Waterproof, Quick Disconnect, Heavy Duty Type,	A	5935		CC	02-FEB-2009
M MH DEE 55202/101B	General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI OS SH YD]	١.	5025		CC	10 FED 2000
M MIL-DTL-55302/191B	Connectors, Printed Circuit Subassembly and Accessories: Plug, Pin Contacts, 100 Positions, Printed Wiring Board (.075 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	10-FEB-2009
M MIL-DTL-55302/193B	Connectors, Printed Circuit Subassembly and Accessories: Plug, Pin Contacts, 122 and 152 Position, Printed Wiring Board (.075 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	10-FEB-2009
M MIL-STD-1554A	Insert Arrangements for MIL-DTL-83723 Series III and MIL-DTL-26500 Environment Resisting,	A	5935		CC	02-FEB-2009
	Circular, Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: 19 99 AR AV EC MI]	١.			~~	
M A-A-55469/1C	Connectors, Electrical, Plugs, Tip, Single (Banana Plug) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935	/	CC	06-FEB-2009
M MIL-PRF-28750/9D	Relay, Solid-State, Hermetically Sealed, Class II, Optically Isolated, Zero Voltage Turn-on, 1 Ampere (2 Amperes with Heat Sink), 400 HZ,Power Switching, SPST (N.O.) [CUST: EC 85 CC]	A	5945		CC	05-FEB-2009
M MIL-PRF-19500/157T	Semiconductor Device, Diode, Silicon, Temperature Compensated Voltage-Reference, Types 1N941B-1, 1N943B-1, 1N944B-1, 1N945B-1, 1N945B-1, 1N945B-1, 1N945BUR-1, 1N945BUR-1, 1N945BUR-1, AND ANTXV, and JANS, Radiation Hardened (Total Dose Only) JANTXVM, D, L, R, F, G, H, and JANSM, D, L, R, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC SM]	A	5961		CC	04-FEB-2009
M MIL-PRF-19500/158T	Semiconductor Device, Diode, Silicon, Temperature Compensated, Voltage-Reference, Types	A	5961		CC	04-FEB-2009
	1N3154-1, through 1N3157-1, and 1N3154UR-1 through 1N3157UR-1, JAN, JANTX, JANTXV,					
	and JANS, Radiation Hardened (Total Dose Only) JANTXVM, D, L, R, F, G, H, and JANSM, D, L, R, F, G, H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]					
M MIL-PRF-19500/159P	Semiconductor Device, Diode, Silicon, Temperature Compensated, Voltage-Reference, Types 1N821-1, 1N823-1, 1N825-1, 1N827-1, and 1N829-1, 1N821UR-1, 1N823UR-1, 1N825UR-1, 1N829UR-1, and 1N829UR-1, JAN, JANTX, JANTXV, JANS, JANHC and JANKC; Radiation Hardened (Total Dose Only) Types JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; GLOST CR EC 85 CC NA] [REVIEW:	A	5961		CC	04-FEB-2009
M MIL-PRF-19500/355N	[19 99 AR AS MC MI SM] Semiconductor Device, Unitized Dual Transistor, NPN, Silicon, Types 2N2919, 2N2920, 2N2919L,	_	5961		CC	05-FEB-2009
WILL-FRY-19300/333IN	Semiconductor Device, Unitized Dual Transistor, NFN, Silicon, Types 2N2919, 2N2920, 2N2919L, 2N2920L, 2N2919U, and 2N2920U, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSE, JANSF, JANSF, JANSF, JANSH, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5701		CC	vj-fed-2009
M MIL-PRF-19500/391L(1)	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N3019, 2N3019S, 2N3057A,	A	5961		CC	09-FEB-2009
	2N3700, and 2N3700UB, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, JANSH, JANHCA, JANHCB, JANKCB, JANKCB JANKCB JANKCB, JANKCB, JANKCB, JANKCB, JANKCF,					***************************************
M MIL-PRF-19500/427M	Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N5614, 1N5616, 1N5618, 1N5620, 1N5622, 1N5614US, 1N5616US, 1N5618US, 1N5620US, 1N5622US, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	18-FEB-2009
M MIL-PRF-19500/452J	Semiconductor Device, Diode, Silicon, Temperature Compensated, Voltage Reference, Types	A	5961		CC	04-FEB-2009
	IN4565A-1 through IN4584A-1, and IN4565AUR-1 through IN4584AŪR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC, Radiation Hardened (Total Dose Only) Types JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANKCM, D, L, R, F, G, H; and JANKCM, D, L, R, F, G, H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]					
M MIL-PRF-19500/582B	Semiconductor Device, Transistor, PNP, Silicon Amplifier, Types 2N5679 and 2N5680, JAN, JANTY and JANTY VICUST: CP, EC 85, CC.	A	5961		CC	30-JAN-2009
	JANTX and JANTXV [CUST: CR EC 85 CC]					
15 EED 2000				_		

15-FEB-2009

ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
N OCLION ACTION		DISTRIBUTION	FSC/AREA	Ą	EP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP	DATE
M MIL-DTL-3970/7D	Waveguide Assemblies, Rigid, 90-Degree E-Plane Bend [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS]	A	5985		CC	03-FEB-2009
M MIL-DTL-3970/13D	Waveguide Assemblies, Rigid, 90-Degree H-Plane Bend [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI OS]	A	5985		CC	03-FEB-2009
M MIL-DTL-17/191B(1) NOT 1	Cable, Radio Frequency, Flexible, Coaxial, 75 Ohms, M17/191-00001 [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	06-FEB-2009
M MIL-DTL-3702E	Cable, Power, Electrical: Ignition, High-Tension [CUST: AT AS 85 CC] [REVIEW: AV CR EA MC]	A	6145		CC	15-JAN-2009
M QPL-7065-15 NOT 1	Indicator, Position, Aileron Trim Tab (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6610		71	13-FEB-2009
M QPL-5796-17 NOT 1	Transmitter, Pressure, Oil, 0-100 PSI (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6620		71	12-FEB-2009
M QPL-5914-19 NOT 1	Indicator, Rate of Flow, Fuel, Type EFU-24/A and Type (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6620		71	11-FEB-2009
M QPL-27202-21 NOT 1	Indicator, Electrical Tachometer, 0-110 Percent RPM, 2-Inch Size, Integrally Lighted (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6620		71	11-FEB-2009
N A-A-59821 M QPL-27552-20 NOT 1	Dummy Load, Electric [CUST: 84] [REVIEW: 99] Indicator, Temperature, Thermocouple EHU-15A/A, Potentiometer Type, White Lighted (Replaced by the Organical Versiew) (PDI) on Notice for Additional Information).	A A			84 71	17-FEB-2009 13-FEB-2009
M MIL-PRF-85285D(3)	by the Qualified Products Database (QPD) see Notice for Additional Information) Coating: Polyurethane, Aircraft and Support Equipment [CUST: MR AS 99] [REVIEW: 11 84 AR CG DS MC SH]	A	8010		AS	02-FEB-2009
M QPL-0053022 NOT 2	Primer, Epoxy Coating, Corrosion Inhibiting Lead and Chromate Free (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		MR	09-FEB-2009
M QPL-0053030 NOT 2	Primer Coating, Epoxy, Water Reducible, Lead and Chromate Free (Replaced by the Qualified Products Database (OPD) see Notice for Additional Information)	A	8010		MR	05-FEB-2009
M QPL-0053084 NOT 2	Primer, Cathodic Electrodeposition, Chemical Agent Resistant (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		MR	11-FEB-2009
N MIL-DTL-3628/248	Badge, Occupational, Cyber, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A			IH	15-FEB-2009
N MIL-DTL-3628/251 M MIL-DTL-3943/13J	Badge, Qualification, President's Hundred Tab, Army [CUST: IH] [REVIEW: CT] Decoration, Legion of Merit, Officer and Legionnaire [CUST: IH NU 11] [REVIEW: 99 CG CT MC]	A A	8455 8455		IH IH	15-FEB-2009 15-FEB-2009
N MIL-DTL-3943/334	Decoration, National Intelligence Reform Award Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	01-DEC-2008
N MIL-DTL-11484/324	Lapel Button, National Intelligence Reform Award Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	01-DEC-2008
M MIL-DTL-11589/589 NOT 1 N MIL-DTL-43098/16	Ribbon, Ceremonial Guard, Navy [CUST: IH NU] [REVIEW: CT] Medallion, Collaboration Leadership Award, Office of the Director of National Intelligence [CUST:	A A			IH IH	12-FEB-2009 20-FEB-2009
M MIL-PRF-6081D(1)	IH] [REVIEW: CT] Lubricating Oil, Jet Engine [CUST: AS 11]	A	9150		11	30-JAN-2009
M DI-ATTS-80285C N ASME-Y14.34	Engineering Support Data (ESD) [AMSC: N9059]	1	ATTS DRPR		AS AR	09-FEB-2009
N DI-MGMT-81763	Lists, Associated [CUST: AR SA 16] [REVIEW: 13 99 AS CG CH CM CR DC2 DH EC IE MC MI MP NP NS PT SE TD TM2] Customized Microelectronics Devices Source Protection Plan [AMSC: G9057]		MGMT		NS NS	01-AUG-2008 09-FEB-2009
N DI-MISC-81762	Security Evaluation Document (SED) [AMSC: G9056]	1	MISC		NS	02-FEB-2009
M SD-6 M MIL-PRF-63017C NOT 1	Provisions Governing Qualification [CUST: AM NM 01 DH] [REVIEW: CR] Manuals, Technical: Requirements for Munition Equipment and Ammunition Data Sheets [CUST:	A A	STDZ TMSS		SO TM	01-FEB-2009 12-FEB-2009
M MIL-DTL-81748E(2)	TM] [REVIEW: AR AT AV CR EA GL MI] Manuals, Technical: Rapid Action Changes and Interim Rapid Action Changes; Preparation of;	A	TMSS		AS	12-FEB-2009
	General Specification For [CUST: AS]					

15-FEB-2009

INACTIVE SECTION

ASSIST UPDATE

INACTIVE SECTION	ASSIST OFDATE					
Z OELO E OELO V LS V DOCUMENT NUMBER		DISTRIBUTION	FSC/AREA		P ACTY	
AS		IST	SC/	MCA	PREP.	
M MIL-DTL-3533C	DOCUMENT TITLE Dukker Symptotics Shoot Strip and Molded (CUST, MD OS 00) (DEVIEW, 71 AD AS MI)	A		2	IS	DATE 02-FEB-2009
M MIL-DTL-81716A	Rubber, Synthetic; Sheet, Strip and Molded [CUST: MR OS 99] [REVIEW: 71 AR AS MI] Packing, Preformed, Straight Thread Tube Fitting Boss, Type II Hydraulic (-65 Degrees F to +275 Degrees F) [CUST: MR AS 11] [REVIEW: MI]		5330 5330		IS IS	29-JAN-2009
M MIL-R-22684/1B(1) NOT 1	Resistors, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI]		5905		CC	05-FEB-2009
M MIL-R-22684/2C(1) NOT 1	Resistors, Fixed, Film, Insulated, Style RL20 [CUST: CR EC 85 CC] [REVIEW: AR MI]		5905		CC	05-FEB-2009
M MIL-R-22684/3C(1) NOT 1 M MIL-R-22684/4B(1) NOT 1	Resistors, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT AV CG DH EA MC OS] Resistors, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV		5905 5905		CC	05-FEB-2009 05-FEB-2009
M MIL-PRF-19500/359J	CG MC OS] Semiconductor Device, Diode, Silicon, Fast Recovery, Power Rectifier, 1N4942, 1N4944, 1N4946, 1N4947, and 1N4948 JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 70 71 99]		5961		CC	18-FEB-2009
M MIL-I-23264A SUP 1 NOT 4	11A947, and 1N4948 JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 70 71 99 AR AS MC MI SM] Insulators, Ceramic, Electrical and Electronic, General Specification for [CUST: CR EC 85 GS4]	A	5970		GS4	10-FEB-2009
M MIL-I-23264/19A NOT 4	[REVIEW: 99 AR AS CR4 MC MI SH] Insulators, Bowl (Style 58) [CUST: CR EC 85 GS4] [REVIEW: 99 AS CC CR4 MC MI]		5970		GS4	10-FEB-2009
M MIL-W-3970/10C	Waveguide, Assemblies, Rigid, 90-Degree E-Plane Mitered Corner [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]		5985		CC	03-FEB-2009
M MIL-W-3970/22A	Waveguide Assemblies, Rigid, Cast, 90-Degree E-Plane Bend, Full Corral [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC MI OS]		5985		CC	03-FEB-2009
M MIL-W-3970/23A	Waveguide Assemblies, Rigid, Cast, 90-Degree E-Plane Bend, Miter and Radius-Back Miter, Full Corral [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI OS]		5985		CC	03-FEB-2009
M MIL-DTL-13074C M O-F-1044B(1) NOT 2	Wire, Electrical, Antenna, (Wire W-27 and Wire WS-19()/U) [CUST: CR CC] Fuel, Engine Primer: Cold Starting, in Pressurized and Nonpressurized Containers [CUST: AT 68]	A	6145 6850	/	CC AT	15-JAN-2009 05-FEB-2009
M MIL-C-18480B NOT 2	Coating Compound, Bituminous, Solvent, Coal-Tar Base [CUST: MR YD 99 IS] [REVIEW: CE SH]		8030		FAS	03-FEB-2009
M SS-S-200E(2) NOT 1	Sealant, Joint, Two Component, Jet Blast Resistant, Cold Applied, for Portland Cement Concrete Pavement [CUST: CR4 YD 99 IS] [REVIEW: 84 CE MC MD MR]	A	8030	/	FAS	03-FEB-2009
15 EED 2000	· · · · · · · · · · · · · · · · · · ·	_				

15-FEB-2009 3

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
LAST ACTION OF THE CONTROL OF THE CO	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-DTL-5886/1A NOT 2	Cylinder, Aircraft Oxygen, Low Pressure, Nonshatterable (S/S by MIL-DTL-5886) [CUST: AV AS	A			71	10-FEB-2009
M MS20819G NOT 3	71] [REVIEW: 11] Sleeve, Flared Tube Fitting (See Notice 3 for Replacement Information) [CUST: AV AS 99 CC] [REVIEW: 71 AR MC SA]	A	4730		CC	21-JAN-2009
M MS24392F NOT 2	Nipple, Tube, Precision Type (See Notice 2 for Replacement Information) [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH]	A	4730		CC	21-JAN-2009
M MS24399F NOT 2	Reducer, Tube, Precision Type (See Notice 2 for Replacement Information) [CUST: AV AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC	21-JAN-2009
M AN815 REV 9 NOT 2	Union - Flared Tube (See Notice 2 for Replacement Information) [CUST: AV AS 99 CC] [REVIEW: 71 AR CR4 MC MI SA]	A	4730		CC	21-JAN-2009
M AN919 REV 9 NOT 2	Reducer - External Thread Flared Tube (See Notice 2 for Replacement Information) [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH]	A	4730		CC	21-JAN-2009
M QPL-19180-43 NOT 1 M ASTM-C805	Regulators, Pressure, Compressed Gas (No S/S Document) Concrete, Hardened, Rebound Number of (No S/S Document) [CUST: CR4 YD 99 IS]	A A			CC IS	02-FEB-2009 03-FEB-2009
M MIL-R-39008C(2) NOT 3	Resistor, Fixed, Composition (Insulated), Established Reliability, General Specification for (See Notice 3 for Replacement Information) [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]		5905		CR	09-JAN-2009
M MIL-R-39008/1F NOT 3	Resistor, Fixed, Composition (Insulated), Established Reliability, Style RCR07 (See Notice 3 for Replacement Information) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5905		CR	09-JAN-2009
M MIL-R-39008/3D NOT 3	Resistor, Fixed, Composition (Insulated), Established Reliability, Style RCR32 (See Notice 3 for Replacement Information) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5905		CR	09-JAN-2009
M MIL-R-39008/4F NOT 3	Resistor, Fixed, Composition (Insulated), Established Reliability Style RCR05 (See Notice 3 for Replacement Information) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]		5905		CR	09-JAN-2009
M MIL-R-39008/5B NOT 3	Resistor, Fixed, Composition (Insulated), Established Reliability Style RCR42 (See Notice 3 for Replacement Information) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 EA MC MI OS]	A	5905		CR	09-JAN-2009
M MIL-D-50030H(1) NOT 3 M A-A-50574 NOT 1	Decontaminating Agent, D82 (S/S by MIL-DTL-12468) [CUST: EA] Enamel, Odorless, ALKYD, Interior, Semigloss, White and Tints (See Notice 1 for Replacement Information) [CUST: CR4 YD 99] [REVIEW: 84 CE MC MD MR]		6850 8010	*	EA FAS	04-FEB-2009 22-DEC-2008
M TT-P-650D NOT 1	Primer Coating, Latex Base, Interior, White (for Gypsum Wallboard) (See Notice 1 for Replacement Information) [CUST: YD] [REVIEW: CE]	A	8010	*	FAS	22-DEC-2008
M SAE-AMS-QQ-A-250/1 M SAE-AMS-QQ-A-250/2	Aluminum 1100, Plate and Sheet (No S/S Document) [CUST: MR AS 11 IS] Aluminum Alloy 3003, Plate and Sheet (No S/S Document) [CUST: MR AS 11 IS]	A A	9535 9535		IS IS	03-FEB-2009 03-FEB-2009
M SAE-AMS-QQ-A-250/7 M SAE-AMS-QQ-A-250/26	Aluminum Alloy 5086, Plate and Sheet (No S/S Document) [CUST: MR AS 11 IS] Aluminum Alloy, 7011 Alclad, 7075 Plate and Sheet (No S/S Document) [CUST: MR AS 11 IS]	A	9535 9535		IS IS	03-FEB-2009 03-FEB-2009
M ASME-Y14.34M	Associated Lists (For Replacement Information see Notice of Withdrawal) [CUST: AR SA 16] [REVIEW: 13 99 AS CG CH CM CR DC2 DH EC IE MC MI MP NP NS PT SE TD TM2]		DRPR		AR	28-JAN-2009
		1				

15-FEB-2009